

# Hydro Step

SPC Vinyl Click Flooring

## STONE TILE

# 5G

Droplock Click  
Flooring System



100% WATERPROOF



R I G I D  
T I L E

# Hydro Step

SPC Vinyl Click Flooring

## STONE TILE

5G

Droplock Click  
Flooring System

## Technical Overview

**Tile Dimension:** 610mm x 305mm x 5.5mm

**Pack Size:** 10 Tiles Per Pack

**Coverage:** 1.86m<sup>2</sup>

### Product Construction:

4.0mm rigid core with a protected 0.55mm vinyl wearlayer and a high density (100kg/m<sup>3</sup>) pre-attached 1.0mm IXPE underlay.

### Benefits:

Easy And Quick To Install - Droplock Click System

48 Hours Acclimatization Needed

Very Stable: High Density Stone Plastic CompositeCore (2.0g/cm<sup>3</sup>)

Up To 400 sqm Can Be Installed Without Transition Mouldings

Impact Resistance

High Density Sound Absorption Underlay

Compatible With Underfloor Heating (Electrical Looselay/Mat Systems and Concrete Encased Water Piped Systems Only. Max 27 °C At Floor Level)

Low VOC Emission A+ Certified

Phthalate And Heavy Metal Free

Minimal Subfloor Preparation

Installs Over Existing Hard Surface Floors: Concrete, Ceramic Tiles, Wood Flooring

### Features:

100% Virgin Vinyl

100% Virgin IXPE Underlay Pre-attached

33/42 For Both Heavy Commercial & Domestic Wear Class

Micro Bevel Edges

Deep Embossed Surfaces

R9 Slip Resistance

Stain Resistance


Antistatic Resistance

CE Certified

100% Waterproof

15 Years Domestic Warranty

7 Years Commercial Warranty: Light To Moderate Commercial Usage (Small / Medium Size Store & Office Areas)



R I G I D  
T I L E

# Hydro Step

SPC Vinyl Click Flooring

## STONE TILE

**Tile Dimension:** 610mm x 305mm x 5.5mm

**Pack Size:** 10 Tiles Per Pack


**Coverage:** 1.86m<sup>2</sup>

### Features:

- 100% Virgin Vinyl
- 100% Virgin IXPE Underlay Pre-attached
- Micro Bevel Edges
- Deep Embossed Surfaces
- R9 Slip Resistance
- Stain Resistance
- Antistatic Resistance
- CE Certified
- 100% Waterproof
- 15 Years Domestic Warranty
- 7 Years Commercial Warranty
- 100% Recyclable

Not Guaranteed for  
Conservatory / Sun Room Use

### Multi-layer Construction



### Test Performances

Castor Chair Test



Static Locking Test



Click Strength Test



Cupping Test




Gapping Test



Vertical Load Test



Use QR Code To View  
5G Floor Locking System Video



## 5G Droplock Click Flooring System

# FORMULA BATHROOMS & FLOORING

Unit 23, Pant Industrial Estate, Dowlais, Merthyr Tydfil, CF48 2SR

[www.formulabathrooms.co.uk](http://www.formulabathrooms.co.uk)

Tel: 01685 358600

[sales@formulabathrooms.co.uk](mailto:sales@formulabathrooms.co.uk)